



Rugged construction for any cleaning job

Nilfisk GM 80P is light in weight, but a heavy-duty performer. Reliable and designed to provide the durability and capacity required by cleaning professionals. Mounted on a strong steel trolley with large rubber wheels, the machine is easy to manoeuvre

The sturdy aluminium container means that the vacuum cleaner is almost indestructible and therefore especially suitable for rough and heavy duty cleaning.

Ideal for e.g. production lines, chemi/pharma industries, hospitals and offices.

For special applications, choose between two types of special exhaust filters: Nilfisk HEPA or Nilfisk ULPA, also protecting against allergies.

- ⌘ Impressive 2100 cm² main filter for even and stable airflow and vacuum, even after long use
- ⌘ Lightweight but built for years of heavy duty cleaning
- ⌘ Virtually indestructible aluminium container
- ⌘ HEPA/ULPA filters optional
- ⌘ Bagless operation possible

Model	GS/GM 80 P	GS/GM 80 P	GS/GM 80 P	GS/GM 80 P
Ref. no	17119001	17119002	17119004	17119005
RRP ()				
WITH FIXED CABLE				
HOSE 38/32MM 2M RUBBER GS-COUPLING + CURVED TUBE				

Technical specifications	GS/GM 80 P	GS/GM 80 P	GS/GM 80 P	GS/GM 80 P
CABLE LENGTH (M)/ PLUG TYPE	10/EU	10/UK	10/CH	10/ AUS-NZ
APPROVAL	CE	CE	CE	AUS
VOLTAGE (V)	220-240	220-240	220-240	220-240
FREQUENCY (HZ)	50-60	50-60	50-60	50-60
GROUNDED	no	no	no	no
PROTECTION CLASS (ELECTRICAL)	II	II	II	II
IP PROTECTION CLASS	IP40	IP40	IP40	IP40
DUST CLASS	L	L	L	L
RATED POWER (W)	1200	1200	1200	1200
RATED POWER/MAX POWER (W)	1200/1300	1200/1300	1200/1300	1200/1300
SUCTION POWER MOTOR (W)	270	270	270	270
AIRFLOW (L/SEC)	38	38	38	38
AIRFLOW WITHOUT HOSE (L/SEC)	38	38	38	38
VACUUM (KPA)	20	20	20	20
VACUUM MAX (KPA)	20	20	20	20
SOUND PRESSURE LEVEL AT 1.5 M (DB(A) ISO 3744)	61	61	61	61
SOUND PRESSURE LEVEL W/NOZZLE (DB(A) ISO 3744)	63	63	63	63
CONTAINER CAPACITY (L)	12,25	12,25	12,25	12,25
DUST BAG CAPACITY (L)	6,25	6,25	6,25	6,25
MAIN FILTER TYPE	COTTEN	COTTEN	COTTEN	COTTEN
MAIN FILTER AREA (CM²)	2100	2100	2100	2100
INLET (MM)	38	38	38	38
LENGTH X WIDTH X HEIGHT (CM)	39x30x41	39x30x41	39x30x41	39x30x41
WEIGHT (KG)	5	5	5	5

Model	GS/GM 80 P	GS/GM 80 P	GS/GM 80 P	GS/GM 80 P
Ref. no	17119006	17119007	17119008	17119009
RRP ()				
WITH FIXED CABLE				
HOSE 38/32MM 2M RUBBER GS-COUPLING + CURVED TUBE				

Technical specifications	GS/GM 80 P	GS/GM 80 P	GS/GM 80 P	GS/GM 80 P
CABLE LENGTH (M)/ PLUG TYPE	10/JP	10/US	10/US	10/EU
APPROVAL	JP	UL	UL	CE

Technical specifications	GS/GM 80 P	GS/GM 80 P	GS/GM 80 P	GS/GM 80 P
VOLTAGE (V)	100	110-120	110-120	220-240
FREQUENCY (HZ)	60	60	60	50-60
GROUNDING	Yes	no	Yes	no
PROTECTION CLASS (ELECTRICAL)	II	II	II	II
IP PROTECTION CLASS	IP40	IP40	IP40	IP40
DUST CLASS	L	L	L	L
RATED POWER (W)	850	1100	1100	1200
RATED POWER/MAX POWER (W)	850/950	1100/1200	1100/1200	1200/1300
SUCTION POWER MOTOR (W)	200	250	250	270
AIRFLOW (L/SEC)	33	38	38	38
AIRFLOW WITHOUT HOSE (L/SEC)	33	38	38	38
VACUUM (KPA)	18	20	20	20
VACUUM MAX (KPA)	18	20	20	20
SOUND PRESSURE LEVEL AT 1.5 M (DB(A) ISO 3744)	61	61	61	61
SOUND PRESSURE LEVEL W/NOZZLE (DB(A) ISO 3744)	63	63	63	63
CONTAINER CAPACITY (L)	12,25	12,25	12,25	12,25
DUST BAG CAPACITY (L)	6,25	6,25	6,25	6,25
MAIN FILTER TYPE	COTTEN	COTTEN	COTTEN	COTTEN
MAIN FILTER AREA (CM²)	2100	2100	2100	2100
INLET (MM)	38	38	38	38
LENGTH X WIDTH X HEIGHT (CM)	39x30x41	39x30x41	39x30x41	39x30x41
WEIGHT (KG)	5	5	5	5

Model	GS/GM 80 P	GS/GM 80 P	GS/GM 80 P
Ref. no	17119011	17119021	17120001
RRP ()			
WITH FIXED CABLE			
HOSE 38/32MM 2M RUBBER GS-COUPLING + CURVED TUBE			

Technical specifications	GS/GM 80 P	GS/GM 80 P	GS/GM 80 P
CABLE LENGTH (M)/ PLUG TYPE	10/EU	10/EU	10/EU
APPROVAL	CE	CE	CE
VOLTAGE (V)	220-240	220-240	220-240
FREQUENCY (HZ)	50-60	50-60	50-60
GROUNDING	no	no	no
PROTECTION CLASS (ELECTRICAL)	II	II	II
IP PROTECTION CLASS	IP40	IP40	IP40
DUST CLASS	L	L	L
RATED POWER (W)	1200	1200	1200

Technical specifications	GS/GM 80 P	GS/GM 80 P	GS/GM 80 P
RATED POWER/MAX POWER (W)	1200/1300	1200/1300	1200/1300
SUCTION POWER MOTOR (W)	270	270	270
AIRFLOW (L/SEC)	38	38	38
AIRFLOW WITHOUT HOSE (L/SEC)	38	38	38
VACUUM (KPA)	20	20	20
VACUUM MAX (KPA)	20	20	20
SOUND PRESSURE LEVEL AT 1.5 M (DB(A) ISO 3744)	61	61	61
SOUND PRESSURE LEVEL W/NOZZLE (DB(A) ISO 3744)	63	63	63
CONTAINER CAPACITY (L)	12,25	12,25	12,25
DUST BAG CAPACITY (L)	6,25	6,25	6,25
MAIN FILTER TYPE	COTTEN	POLYESTER	GORE TEX
MAIN FILTER AREA (CM ²)	2100	2100	2100
INLET (MM)	38	38	38
LENGTH X WIDTH X HEIGHT (CM)	39x30x41	39x30x41	39x30x41
WEIGHT (KG)	5	5	5

Accessories		Ref. no	Min. required	Price ()	GS/GM 80 P
	NOZZLE CARPET 32MM 280MM PLASTIC	11276800	1		■
	BRUSH NOZZLE 32MM 280MM PLASTIC	11426700	1		■
	NOZZLE CARPET 32MM 400MM ALU/PLASTIC	11476200	1		■
	BRUSH NOZZLE 32MM 400MM ALU/PLASTIC	11476301	1		■
	BRUSH RING F/CREVICE NOZ.	11530500	1		■
	FLEXIBLE NOZZLE 200MM INLET 32MM RUBBER	81141000	1		■
	FLEXIBLE NOZZLE 240MM INLET 32MM RUB 65 SHORE	81141101	1		■
	FLEXIBLE NOZZLE INLET 32MM ANTISTATIC	81932600	1		■
	NOZZLE W/RBBERLIPS F/32MM ALU/PL. 370MM ADJUSTABLE	82366900	1		■
	ROUND BRUSH 38MM 100MM ALU/WOOD	10989000	1		■
	BRUSH NARROW 150 MM OVAL NECK 32MM BAKELITE	11140300	1		■
	BRUSH ROUND GREY 100%NATU 32MM BROWN BRISTLES	11276901	1		■
	BRUSH ROUND 70MM BLUE NECK 32MM BLUE BRISTLES	22103600	1		■
	NOZZLE UPHOLSTERY GRAY W/SEPARATE GRID F.32MM	32043700	1		■
	NOZZLE FLEXIBLE 150MM NECK 32MM PLASTIC	81140900	1		■
	FLEXIBLE NOZZLE 150MM INLET 32MM FOR AUTO-CLAVE	81140902	1		■
	CREVICE NOZZLE 360MM INLET 32MM PLASTIC	81141200	1		■
	CREVICE NOZZLE 32MM 245MM LONG WITH HOLES	81530400	1		■
	THREE-IN-ONE NOZZLE 305MM INLET 32MM PLASTIC	11450201	1		■
	NOZZLE COMBI 270MM F/32MM GRAY	11980300	1		■
	NOZZLE COMBI DELUXE BLACK F/32MM TUBE	22359800	1		■
	NOZZLE ELEC.ESB 106 GS 32MM	14010952	1		■
	HOSE 38/32MM 2M RUBBER GS-COUPLING + CURVED TUBE	11717000	1		■
	HOSE 38/32MM 2M PLASTIC GS + CURVED PLASTIC TUBE	12041500	1		■
	HOSE 38/32MM 2M PLASTIC W.CURVED STEEL TUBE GS 38	12097500	1		■
	PLASTIC HOSE GD 1000-SERIES	62139100	1		■
	PLASTIC HOSE 80P/90C SERI	62149000	1		■

ES				
----	--	--	--	--

Accessories		Ref. no	Min. required	Price ()	GS/GM 80 P
	DUST BAG 6,5 LITRES 5 PCS	81620000	1		■
	MICRO-STATIC FILTER	11641000	1		■
	MOTOR PROTECTION FILTER POLYESTER FILTER MATERIAL	11730410	1		■
	EXHAUST FILTER KIT WO. FILTER W HANDLE + BASE	11731003	1		■
	SOUND SUPPRESSOR FOR GS/GM MOTORS	11750703	1		■
	EXHAUST WITH DIFFUSER	21573001	1		■
	FILTER HEPA F/GS/GM MOTOR INCL. 2 PC O-RINGS	21738000	1		■
	FILTER ULPA F/GS/GM MOTOR INCL. 2 PC O-RINGS	21739000	1		■
	FILTER COTTON GS/GM 80 2100 CM2	61543000	1		■
	GORE-TEXFILTER GS/GM80/81	61909800	1		■
	GORE-NOSTAT FILT.80/81	62048000	1		■
	FILTER NOMEX GM 80P	82243100	1		■
	BLOWING COUPLING GS/GM 80	11562000	1		■
	HANDLE COMPLETE	22132000	1		■
	MOP NOZZLE NILFISK MOP	22201800	1		■
	HANDLE NILFISK MOP	62188400	1		■